CKH - MKH HYGIENIC ENCLOSURES SIZE "21.21"



Made by thermoplastic insulating materials suitable for splash area, qualified for resistance to cleaning agents by ECOLAB and in compliance with EHEDG Guideline no. 32





TECHNICAL FEATURES CKH - MKH HYGIENIC ENCLOSURES

The new series **CKH – MKH Hygienic** size "21.21" enclosures, completes the offer of hygienic connector enclosures of series T-Type Hygienic, by adding enclosures for the growing family of size "21.21" connector inserts, currently comprising the models listed in **Table 1** below (power, signal and data connectors, including fibre optics).

Table 1 – "21.21" connector inserts suitable for CKH-MKH Hygienic enclosures

CKF /M 03 /04 ◆
CKSHF /M 03 /04 ●
CDF /M 07 ●
CDF /M 08 ●
CQF /M 05 ●
CQF /M 07 ●
CQF /M 12 ●
CQF /M 21 ●
CQ4F /M 03 ●
CQ4F /M 02 ●
CQ4F /M 02 H ●
CQ4F /M 03/2 ●
CX 1/2 BDF /M ○
CXL SF /SM, CXL 2/4 SF /SM, CXL 2/4 PF /PM, CXL 2/4 PFH /PMH, CXL PF /PM \circ
CLK 04 SCF /SCF-H /SCM ○
CUK 2FT, CUK 3FT⊙
CJ KF /KM ○
CKJ 8M ○
CJK 8FT /8MT ○
CJK 8IFT, CJK 8PIFT, CJK 8 IMT \circ

- The male insert of these models are provided with a standard sealing gasket. For hygienic applications with CKH – MKH hygienic enclosures this gasket must be replaced with the special hygienic gasket CR 21.21 GMH to be purchased separately.
- The male inserts of these models are not provided with that sealing gasket on the male insert, hence for hygienic applications they are deemed to be used only in hygienic enclosures with glued hygienic gasket (identified by letter G in the first portion of their part no.).

All inserts (male and female) need replacement of the standard screw or screw with gasket (according to models) with the corresponding hygienic screw with gasket kit CKRH 65 or CKRH 65 D (only inserts CD 07 and CD 08).

The available models of CKH – MKH Hygienic enclosures are described in the following Table 2.

Table 2 - CKH - MKH Hygienic enclosures size "21.21"

Part no.	Description
CKH 03 I	bulkhead mounting housing
CKH 03 IA	angled bulkhead mounting housing
MKH IAP20	angled bulkhead mounting housing with M20 cable entry
MKH V20	hood with pegs, top entry M20
MKH V25	hood with pegs, top entry M25
MKH VA20	hood with pegs, side entry M20
MKH VG20	hood with lever, top entry M20
MKH VG25	hood with lever, top entry M25
CKH 03 C	cover with pegs and gasket, for female inserts (eyelet cord)
CKH 03 CS	cover with pegs and gasket, for female inserts (loop cord)
CKH 03 CA	cover with pegs, for male inserts (eyelet cord)
CKH 03 CAS	cover with pegs, for male inserts (loop cord)
CKH 03 CX	cover with lever and gasket, for female inserts (eyelet cord)
CKH 03 CXA	cover with lever, for male inserts (loop cord)
MKGH V20	hood with pegs and glued gasket, top entry M20
MKGH V25	hood with pegs and glued gasket, top entry M25
MKGH VA20	hood with pegs and glued gasket, angled entry M20


This new series offers three **bulkhead mounting housings** (the straight model and two angled models, one closed, the other with M20 side cable entry), five **hoods** differing by the size of cable entry (M20, M25) and either presence or absence of locking pegs or lever, e.g. for cable-to-cable joints, and the same **models with glued gasket** (letter G in the first portion of their part no.), for those inserts that by design do not include the sealing gasket on the male insert (models marked by \circ in the above table). The series is completed with all range of covers (6 models) matching the various applications.

All inserts need to be provided with the kit **CKRH 65 or CKRH 65 D** (for CD 07 and CD 08 inserts), to be purchased separately: screw with food grade gasket (blue coloured). This kit must replace either the standard screw or screw with gasket provided with the insert.

The sealing gasket of those male inserts that include it (see Table 1, items marked with •) has to be replaced with the special hygienic sealing gasket **CR 21.21 GMH,** blue coloured, for easier detection in case of loss in the food path, to be purchased separately.

- Series **CKH-MKH Hygienic** made (like T-Type Hygienic) by thermoplastic insulating materials compatible with the temperature range of standard hygienic applications and qualified for resistance to a wide set of cleaning agents by ECOLAB, and in compliance with the EHEDG Guideline no. 32. Same for the material of the locking lever and that of the sealing gaskets (flange, interface and under the head of fixing screw).
- Moving parts (locking lever) or parts that might be lost (sealing gaskets)
 blue coloured to be easily detectable by remote image detection systems.
- Locking lever detectable by metal detectors in case of accidental loss and fall inside the conveyor belt (food path).
- IP degree of protection: IP66/IP67/IP69.
- Upper and Lower Limiting Temperature (ULT LLT): -40 °C ... +70 °C.

production lines **HYGIENIC SERIES** CKH - MKH



bulkhead mounting housings



FROM OCTOBER 2020

angled bulkhead mounting housings



∰ FROM OCTOBER 2020


description	part No.	part No.	part No. (entry M20)
with lever	СКН 03 І		
without cable entry, with lever 1)		CKH 03 IA	
with cable entry and lever 1)			MKH IAP20
gasket and screw kit for IP66/IP67/IP69 ²⁾	CKRH 65	CKRH 65	
gasket and screw kit for IP66/IP67/IP69 2) specific for CD 07/08 inserts	CKRH 65 D	CKRH 65 D	

Ø 3,3

1) Not suitable for inserts:

- CQ4 2 poles + - CQ4 H 2 poles + ⊕ 3 poles + ⊕ - CQ4 - CQ4 3+2 (aux) poles + (
- 2) To obtain the required IP66/IP67/IP69 degree of protection, a kit with insert fixing screw and gasket must be purchased separately to replaces the screw already provided with the inserts (even when it is


☑ NOTE: Housing type may vary upon specific part No.




CR 21.21 GMH HYGIENIC gasket for male inserts "21.21" size (page 114)




СКНІ




CKH IA




MKH IAP



panel cut-out for enclosures



panel cut-out for enclosures



cURus Type 12 Type 4/4X only with CKRH 65 (D) pending





IP66/IP67/IP69 with CKRH 65 (D) 1)

production lines HYGIENIC SERIES CKH - MKH



inserts		pages:
CK CKS CKS CKSH CKSH	3 poles + ⊕ 4 poles + ⊕ 3 poles + ⊕ 4 poles + ⊕ 3 poles + ⊕ 4 poles + ⊕ 4 poles + ⊕	58 58 - - 63 63
CD CD CQ4M CQ4M H CQ4M CQ4M CQ4M CQ CQ CQ	7 poles + ⊕ 8 poles 2 poles + ⊕ 2 poles + ⊕ 3 poles + ⊕ 3+2 (aux) poles + ⊕ 5 poles + ⊕ 7 poles + ⊕ 12 poles + ⊕ 21 poles	66 67 182 183 184 16 * 186 187 189





covers

refer to CN.19 pages

FROM OCTOBER 2020

∰ FROM OCTOBER 2020

	·	· ·	
description	part No. (entry M20)	part No. (with eyelet)	part No. (with loop)
with pegs, top entry 1)	MKH V20		
with pegs, side entry 1)	MKH VA20		
with lever, top entry 1)	MKH VG20		
with pegs and gasket, for female inserts with pegs, for male inserts		CKH 03 C CKH 03 CA	CKH 03 CS CKH 03 CAS
with lever and gasket, for female inserts with lever, for male inserts			CKH 03 CX CKH 03 CXA
gasket and screw kit for IP66/IP67/IP69 ²⁾	CKRH 65		
gasket and screw kit for IP66/IP67/IP69 ²⁾ specific for CD 07/08 inserts	CKRH 65 D		

1) Not suitable for inserts:

- CQ4 2 poles + ⊕ - CQ4 H 2 poles + ⊕ - CQ4 3 poles + ⊕ - CQ4 3+2 (aux) poles + (#)
- 2) To obtain the required IP66/IP67/IP69 degree of protection, a kit with insert fixing screw and gasket must be purchased separately to replaces the screw already provided with the inserts (even when it is already a fixing screw and gasket).

☑ NOTE: Housing type may vary upon specific part No.










cURus Type 12 Type 4/4X only with CKRH 65 (D) pending





MKH V




MKH VA





MKH VG



CKH C - CKH CS







CKH CA - CKH CAS








CKH CX


CKH CXA







For fixing on housings



For fixing on hoods





HYGIENIC SERIES production lines **MKH**

inserts		pages:
СК	3 and 4 poles +	58
CKS	3 and 4 poles + ⊕	-
CKSH	3 and 4 poles + ⊕	63
CD	7 poles + ⊕	66
CD	8 poles	67
CQ4	2 poles + ⊕	182
CQ4 H	2 poles + ⊕	183
CQ4	3 poles + ⊕	184
CQ4	3+2 (aux) poles +	16 *
CQ	5 poles + ⊕	186
CQ	7 poles + ⊕	187
CQ	12 poles + ⊕	189
CQ	21 poles	190

hood



refer to CN.19 pages


* refer to NEWS 2020 pages


description	part No. (entry M25)
with pegs, top entry	MKH V25
gasket and screw kit for IP66/IP67/IP69 1)	CKRH 65
gasket and screw kit for IP66/IP67/IP69 1) specific for CD 07/08 inserts	CKRH 65 D

1) To obtain the required IP66/IP67/IP69 degree of protection, a kit with insert fixing screw and gasket **must be purchased** separately to replaces the screw already provided with the inserts (even when it is already a fixing screw and gasket).

☑ NOTE: Housing type may vary upon specific part No.







CR 21.21 GMH HYGIENIC gasket for male inserts "21.21" size (page 114)



cURus Type 12 Type 4/4X only with CKRH 65 (D) pending







IP66/IP67/IP69 with CKRH 65 (D) 1)





incorto		
inserts		pages:
CK	3 and 4 poles + ⊕	58
CKS	3 and 4 poles + ⊕	-
CKSH	3 and 4 poles + ⊕	63
CD	7 poles + ⊕	66
CD	8 poles	67
CQ4	2 poles + ⊕	182
CQ4 H	2 poles + ⊕	183
CQ4	3 poles + ⊕	184
CQ4	3+2 (aux) poles + ⊕	16 *
CQ	5 poles + ⊕	186
CQ	7 poles + ⊕	187
CQ	12 poles + ⊕	189
CQ	21 poles	190
CLK 04 9	SC	239
CX 1/2 BD		243
CXL 2/4 PF, CXL 2/4 PFH		251
CXL 2/4 PM, CXL 2/4 PMH		251
CXL PF,	CXL PM	251
□ refer to CN.19 pages		

hood




∰ FROM OCTOBER 2020

* refer to NEWS 2020 pages	HE FROM OCTOBER 2020
description	part No. (entry M25)
with lever, top entry	MKH VG25
gasket and screw kit for IP66/IP67/IP69 1)	CKRH 65
gasket and screw kit for IP66/IP67/IP69 1) specific for CD 07/08 inserts	CKRH 65 D

1) To obtain the required IP66/IP67/IP69 degree of protection, a kit with insert fixing screw and gasket must be purchased separately to replaces the screw already provided with the inserts (even when it is already a fixing screw and gasket).

☑ NOTE: Housing type may vary upon specific part No.





CR 21.21 GMH HYGIENIC gasket for male inserts "21.21" size



(page 114)

cURus Type 12 Type 4/4X only with CKRH 65 (D) pending







IP66/IP67/IP69 with CKRH 65 (D) 1)

MKGH production lines HYGIENIC SERIES DESINA®

inserts	pages:
CJK 8MT CJK 8MT *	223 226 226, 228
CUK 2FT CUK 3FT	236 236
CLK 04 SC *	239
CX 1/2 BD	243
CXL 2/4 PF CXL 2/4 PFH CXL 2/4 PM CXL 2/4 PMH CXL PF CXL PM	251 251 251 251 251 251
4	

* cannot be used with angled enclosures (part No. MKGH VA20)

refer to CN.19 pages

hood with glued gasket


description part No. (entry M20)

with pegs and glued gasket, top entry with pegs and glued gasket, side entry

Suitable for DESINA® CXL inserts and male inserts without gasket.

MKGH V

MKGH V20 MKGH VA20



MKGH VA





cURus Type 4/4X/12 pending





MKGH production lines HYGIENIC SERIES DESINA®



inserts		pages:
CQ4M	2 poles + ⊕	182
CQ4M H	2 poles + ⊕	183
CQ4M	3 poles + ⊕	184
CQ4M 3+2 (aux) poles + 🕀	16 *
CJ KM		223
CJK 8MT		226
CJK 8IMT		226, 228
CJK 8M		233
CUK 2FT, CUK 3FT		236
CLK 04 SC		239
CX 1/2 BD		243
CXL 2/4 PF, CXL 2/4 PFH		251
CXL 2/4 PM, CXL 2/4 PMH		251
CXL PF, CXL	PM	251

hood with glued gasket



∰ FROM OCTOBER 2020

refer to CN.19 pages
* refer to NEWS 2020 page


description part No. (entry M25)

with pegs, top entry

Suitable for DESINA® CXL inserts and male inserts without gasket.



MKGH V25



cURus Type 4/4X/12 pending





113

CR 21.21 GMH production lines HYGIENIC SERIES gasket for "21.21" male inserts

inserts		pages:
CKM	3 and 4 poles + ⊕	58
CKSM	3 and 4 poles +	-
CKSHM	3 and 4 poles +	63
CDM	7 poles + ⊕	66
CDM	8 poles	67
CQ4M	2 poles + ⊕	182
CQ4M H	2 poles + ⊕	183
CQ4M	3 poles + ⊕	184
CQ4M	3+2 (aux) poles +	16 *
CQM	5 poles + ⊕	186
CQM	7 poles +	187
CQM	12 poles + ⊕	189
CQM	21 poles	190

HYGIENIC gasket for "21.21 male inserts

refer to CN.19 pages

* refer to NEWS 2020 pages

∰ FROM OCTOBER 2020


description

part No.

HYGIENIC gasket for male inserts "21.21" size

CR 21.21 GMH

This gasket must replace the standard gasket on the male insert, that foresees a gasket.





CKH - MKH HYGIENIC ENCLOSURES

